© PATENT APPLICATION

Attorney Do	cket No.	PC10139A MA	G	
First Named	Inventor or Applic	cation Identifier	Nancy J. Harper	- e - e - e - e - e - e - e - e - e - e
Title	Sertraline Oral C	Concentrates		
Express Ma	il Label No.	EJ248206		
				70

2	Title ™			Sertraline Oral Concentrates				
V	nonprovisional applications under 37C.F.R. §1.53(b))	Express M	lail Lab	nel No.	EJ248206	049US	,	-검틀
	Hongrovialona applications and or or or it. 31.00(b))	· · · · · · · · · · · · · · · · · · ·						
置さ	APPLICATION ELEMENTS			ADDRESS TO:		istant Commiss Patent Applica		flig.
	chapter 600 concerning utility patent application	contents.				shington, DC 20		TO -
1.	*Fee Transmittal Form (e.g., PTO/SB/1 Submit an original, and a duplicate for fee process		6.	Microfich	e Computer	Program (App	endix)	
2.	Specification [Total Pages	[19]	7.	Nucleotide and/ (if applicable, a	or Amino Ad Il necessary,	oid Sequence S)	Submission	
	(preferred arrangement set forth below)Descriptive title of the Invention			а. П с	omputer Re	adable Copy		
	- Cross References to Related Applica			—	•			
	Statement Regarding Fed sponsoredReference in Microfiche Appendix	IR&D				identical to con rifying identity		
	- Background of the Invention					APPLICATIO		лез
i	 Brief Summary of the Invention Brief Description of the Drawings (if 	filed)	8.	Assignme	ent Papers (cover sheet &	document(s)))
	- Detailed Description - Claim(s)		9.		§3.73(b) State		Power of	Attorney
	- Abstract of the Disclosure		10.		e <i>re is an ass</i> Translation D	<i>ignee)</i> ocument (<i>if ap</i>	nlicahle\	:
3.	L	1	11.		on Disclosur	`	Copies of	IDS
4. 🔀	Drawing(s) (35 U.S.C. 11.3)[Total sheets				it (IDS)/PTO	·	Citations	
	Oath or Declaration [Total pages	2	12.		ry Amendme			
	a. Newly executed (original)		13.		eceipt Postc pe specificall	ard (MPEP 503	3)	
	b. Copy from a prior application (3: §1.63(d))	CFR	14.	*Small Er	`	Statement file	ad in prior a	naliaatian
	(for continuation/divisional with Box 1		17.	Statemen	nt(s)	Status still pro		
	[Note Box 5 below i. DELETION OF INVE	-	15.	(PTO/SB/	,		,	
	Signed statement attached dele	ting	15.		priority is cl	rity Document(<i>aimed)</i>	S)	
	inventor(s) named in the prior a see 37 C.F.R. §§1.63(d)(2) and							
5.	Incorporation By Reference (useable if Bo		14.	Other:				
	ntire disclosure of the prior application, fro of the oath or declaration is supplied unde							
	lered to be part of the disclosure of the a ation and is hereby incorporated by refere							
αρριίοι	and to horoby incorporated by felere	III.	****	EOD ITEMS 4 0 44 1	N OPPER TO	E ENTITI EN TO -	AV 04444	
			FEES, IF ON	FOR ITEMS 1 & 14: I A SMALL ENTITY ST FILED IN A PRIOR A	ATEMENT IS RAPPLICATION IS	EQUIRED (37 C.F.I RELIED UPON (3	R. § 1.27), EXCE 7 C.F.R. § 1.28)	EPT
17. If a (CONTINUING APPLICATION, check appro	priate box, and su	oply the	requisite information	n below and in	a preliminary am	nendment:	
	Continuation Divisional	Continuation	-in-par	t (CIP)	of prior applic	cation No:	/	
Prio	r application information: Examine	<u> </u>			Group	/Art Unit:		
	18.	CORRESP	OND	ENCE ADDRES	SS			
				ĺ	N 21			
Code Label	Customer Number or Bar (Insert Custome	No. or Attach ba	r code l	or abel here)	Corresp	ondence address	below	
Name	Gregg C. Benson				**			
Address	PFIZER INC							
	Eastern Point Road							
City	Groton State	CT		Zip Code	06340			
Country	USA Telephone	860-441-490	4	Fax	860-44	1-5221		

NAME (Print/type)	Martha A. Gammill	Registration No. (Attorney/Agent)	31,820
Signature	Marther U.	rammel Date	10/11/99
			

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: Nancy J. Harper, et al : Examiner: To Be Assigned

SERIAL NO.: To Be Assigned :

FILED: Herewith : Art Unit: To Be Assigned

FOR: Sertraline Oral Concentrate :

Assistant Commissioner For Patents Washington, D.C. 20231

Sir:

PRELIMINARY AMENDMENT

In the matter of the application being filed herewith, please amend the application as follows:

In the specification:

Please enter the following sentence as the first paragraph in the specification, immediately following the title:

-- This application is filed claiming priority from co-pending Provisional Application No. 60/104,024 filed October 13, 1998.--

A Notice of Allowance is courteously solicited.

Respectfully submitted,

Date: 10/11/99

Martha A. Gammill Attorney for Applicants Reg. No. 31, 820

Pfizer Inc Patent Department Eastern Point Road Groton, CT 06340 (860) 441-5940

Express Mail No. EJ248206049US

10

15

20

25

SERTRALINE ORAL CONCENTRATE

FIELD OF THE INVENTION

The present invention provides an essentially nonaqueous, liquid pharmaceutical concentrate composition for oral administration containing sertraline or a pharmaceutically acceptable salt thereof and one or more pharmaceutically acceptable excipients. The present invention also provides a use of this concentrate composition to prepare an aqueous solution of sertraline. In addition, the present invention provides a method of using this concentrate composition to treat or prevent a variety of diseases or conditions. Finally, the present invention provides the compound, (1S-cis)-4-(3,4-dichlorophenyl)-1,2,3,4-tetrahydro-N-methyl-1-naphthalenamine methanesulfonate.

BACKGROUND OF THE INVENTION

Sertraline is a known compound having the following structure:

Sertraline has the following chemical name: (1S-cis)-4-(3,4-dichlorophenyl)-1,2,3,4-tetrahydro-N-methyl-1-naphthalenamine. Sertraline and its pharmaceutically acceptable acid addition salts, such as the hydrochloride salt, are disclosed in U.S. Patent No. 4,536,518, which issued on 20 August 1985, (hereafter referred to as the '518 patent), which is herein incorporated by reference in its entirety. Another pharmaceutically acceptable salt of sertraline is the mesylate salt.

The '518 patent states that sertraline and derivatives thereof are useful as antidepressant agents. U.S. Patent No. 5,130,338, which issued on 14 July 1992, refers to the use of sertraline to treat chemical dependencies, including dependencies

10

15

20

25

30

on alcohol, tobacco and cocaine. U.S. Patent No. 4,962,128, which issued on 9 October 1990, refers to the use of sertraline to treat anxiety related disorders such as panic disorder, obsessive-compulsive disorder, generalized anxiety disorder, phobias, post traumatic stress disorder and avoidant personality disorder. U.S. Patent No. 4,940,731, which issued on 10 July 1990, refers to the use of sertraline to treat premature ejaculation. Published PCT patent application, WO 96/22085, which was published on 25 July 1996, refers to the use of sertraline to treat cancer patients. Published European patent application 0768083, which published on 16 April 1997, refers to the use of sertraline to treat post myocardial infarction patients.

U.S. Patent No. 5,597,826, which issued on 28 January 1997, relates to novel compositions containing a serotonin selective reuptake inhibitor (SSRI), such as sertraline, and an agonist or antagonist of the serotonin 1 (5-HT₁) receptor and to the use of such compositions for treating or preventing a condition selected from mood disorders, including depression, seasonal affective disorders and dysthmia, anxiety disorders, including generalized anxiety disorder and panic disorder; agoraphobia, avoidant personality disorder; social phobia; obsessive compulsive disorder; posttraumatic stress disorder; memory disorders including dementia, amnestic disorders and age-associated memory impairment; disorders of eating behavior, including anorexia nervosa and bulimia nervosa; obesity; cluster headache; migraine; pain; Alzheimer's disease; chronic paroxysmal hemicrania; headache associated with vascular disorders; Parkinson's disease, including dementia in Parkinson's disease, neuroleptic-induced parkinsonism and tardive dyskinesias; endocrine disorders such as hyperprolactinaemia; vasospasm (particularly in the cerebral vasculature); hypertension; disorders in the gastrointestinal tract where changes in motility and secretion are involved; sexual dysfunction, including premature ejaculation; and chemical dependencies. The foregoing published applications and U.S. patents are herein incorporated by reference in their entireties.

As noted above, sertraline hydrochloride is a selective serotonin reuptake inhibitor (SSRI) for oral administration. (Physicians' Desk Reference (PDR), 52nd ed., Supplement A, pages A250-A255 (1998).) Its mechanism, pharmacokinetics, and metabolism confer safety, once-daily dosage and efficacy in the treatment of depression, obsessive-compulsive disorder and panic disorder. It is approved for the treatment of one or more of these indications in over 60 countries worldwide. The daily doses for sertraline, expressed as the free base, range from 50-200 mg.

10

15

20

25

30

increasing in 50 mg increments. A titration dose of 25 mg/day during the initial phase of therapy may be warranted in some indications.

Tablet and capsule formulations of sertraline hydrochloride are commercially available in different countries. Capsular-shaped, scored tablets are available in strengths of 50 and 100 mg and are sold under the brand name, ZOLOFT ® Tablets, in the U.S. The capsules are available in some countries in strengths of 50 mg and 100 mg.

The '518 patent discloses that sertraline and related compounds can be administered in a wide variety of different dosage forms, i.e., they may be combined with various pharmaceutically-acceptable inert carriers in the form of tablets, capsules, lozenges, troches, hard candies, powders, sprays, aqueous suspension, injectable solutions, elixirs, syrups, and the like. According to this patent, when aqueous suspensions and/or elixirs are desired for oral administration, the essential active ingredient therein may be combined with various sweetening, or flavoring agents, coloring matter or dyes and, if so desired, emulsifying and/or suspending agents as well, together with such diluents as water, ethanol, propylene glycol, glycerin and various like combinations thereof.

However, development of an oral liquid dosage form of sertraline has been complicated by the objectionable bitter taste and astringency sensation imparted by the drug in liquid form. Thus, direct ("ready-to-use") oral liquid solutions or suspensions of sertraline, such as those described in the '518 patent above, have an objectionable taste, despite the inclusion of a variety of taste-masking or flavoring agents.

An oral liquid dosage form of sertraline with acceptable taste would be a valuable addition to the existing formulations, providing greater choice for both the prescriber and the patient. This is of importance with regard to the issue of non-compliance with treatment, which is believed to affect up to 50% of outpatients and appears to be a particular problem with elderly, pediatric and psychiatric patients (B. Blackwell, Drug Therapy: Patient Compliance, N.Engl.J.Med. 1973, 289(5):249-52). By virtue of being easier to swallow, an oral liquid dosage form of sertraline would offer an alternative to those patients who dislike or have difficulty swallowing tablets or capsules, and would therefore be of considerable benefit in treating those who may be non-compliant for those reasons. Therefore, there is a need in the art

for an alternative liquid dosage form of sertraline that has acceptable taste and properties.

Oral concentrate drug products are known in the art and are commercially available. However, these concentrates are conventionally aqueous. For example, NAVANE® Concentrate contains the active ingredient, thiothixene hydrochloride, and the inert ingredients of alcohol, cherry flavor, dextrose, passion fruit flavor, sorbitol solution and water. (Physicians' Desk Reference (PDR), 52nd ed., pages 2192-2193 (1998).) SINEQUAN® Concentrate contains the active ingredient, doxepin hydrochloride, and the inert ingredients of glycerin, methylparaben, peppermint oil, propylparaben and water. (Physicians' Desk Reference (PDR), 52nd ed., pages 2203-2204 (1998).) TRILAFON® Concentrate contains the active ingredient, perphenazine, and the inert ingredients of alcohol, citric acid, flavors, menthol, sodium phosphate, sorbitol, sugar and water. (Physicians' Desk Reference (PDR), 52nd ed., pages 2666-2668 (1998)).

15

20

25

30

10

5

SUMMARY OF THE INVENTION

The present invention particularly provides:

A pharmaceutical composition which comprises:

an essentially nonaqueous, liquid concentrate for oral administration comprising an amount of sertraline or a pharmaceutically acceptable salt thereof and one or more essentially nonaqueous pharmaceutically acceptable excipients; wherein at least one of the excipients is liquid. Preferably, the pharmaceutically acceptable salts of sertraline are the hydrochloride salt and the mesylate salt.

More particularly, the present invention provides this composition wherein the concentrate contains sertraline hydrochloride, ethanol and glycerin. More specifically, in this concentrate, the sertraline hydrochloride is present in an amount of about 15 to about 30 mg/ml and the ethanol and glycerin are present at about 8 to about 20% ethanol (by weight) in glycerin.

The present invention also provides this composition wherein the concentrate contains sertraline hydrochloride, ethanol, glycerin and menthol. More specifically, in this concentrate, the sertraline hydrochloride is present in an amount of about 15 to about 30 mg/ml, the ethanol and glycerin are present at about 8 to about 20% ethanol (by weight) in glycerin, and the menthol is present in an amount of about 0.01 to about 5.0 mg/ml.

10

15

20

25

30

Most particularly, the present invention provides this composition wherein the concentrate contains sertraline hydrochloride, glycerin, ethanol, butylhydroxytoluene (BHT) and menthol. More specifically, each ml of this concentrate contains about 22.4 mg of sertraline hydrochloride, about 151 mg of ethanol, about 0.50 mg of menthol, about 0.10 mg of BHT, and a sufficient quantity of glycerin (which is about 1011 mg) to produce about 1 ml.

The present invention also provides the use of this essentially nonaqueous, liquid concentrate of sertraline or a pharmaceutically acceptable salt thereof to prepare an aqueous solution of sertraline which comprises: diluting the concentrate in an aqueous diluent prior to oral administration. Preferably, the pharmaceutically acceptable salts of sertraline are the hydrochloride salt and the mesylate salt.

The present invention also provides a method of treating or preventing diseases or conditions which are caused by disorders of the serotonergic system which comprises: a) diluting this concentrate in an aqueous diluent; and b) orally administering the resulting aqueous solution to a patient in need thereof. In addition, the present invention provides this method for treating or preventing diseases or conditions, such as the following: depression, anorexia, chemical dependencies, anxiety-related disorders (such as panic disorder, obsessive-compulsive disorder, generalized anxiety disorder, phobias, post traumatic stress disorder and avoidant personality disorder), premature ejaculation, cancer and post myocardial infarction.

The present invention also provides a process for making this essentially nonaqueous, liquid concentrate of sertraline or a pharmaceutically acceptable salt thereof.

Finally, the present invention provides the compound, (1S-cis)-4-(3,4-dichlorophenyl)-1,2,3,4-tetrahydro-N-methyl-1-naphthalenamine methanesulfonate.

DETAILED DESCRIPTION OF THE INVENTION

"Essentially nonaqueous" when used herein refers to the amount of water that is present in the final drug product, which amount is consistent with the amount of water potentially contributed by the active ingredient and/or by the excipients; however, no water is directly added to the final drug product. About 10% is the upper limit of the amount of water that may be present in the oral concentrate of the present invention. Typically, the amount of water that is present in the oral concentrate of the present invention ranges from about 0.8% to about 5.2% of the composition. Most

typically, the amount of water that is present ranges from about 0.8% to about 2.0% of the composition.

"Concentrate" when used herein refers to a strong solution provided for dilution before use. (Butterworths Medical Dictionary, 2nd edition, Butterworths, London - Boston 1978, pp. 399-400.)

"Pharmaceutically acceptable excipient," as used herein, means a pharmacologically inactive ingredient which is used to formulate a drug product and which is readily known and available in the pharmaceutical arts. Examples of such excipients are given below.

"Pharmaceutically acceptable preservative," as used herein, means an additive or excipient that preserves the quality of the formulation from a chemical or microbiological standpoint. Examples of preservatives are given below.

"Serotonergic system" when used herein refers to the neuronal process whereby serotonin is released by a pre-synaptic cell upon excitation and crosses the synapse to stimulate or inhibit the post-synaptic cell.

"Therapeutically effective amount," as used herein, means an amount of a compound, e.g., sertraline or a pharmaceutically acceptable salt thereof, that ameliorates, attenuates, or eliminates one or more symptoms of a particular disease or condition or prevents or delays the onset of one or more symptoms of a particular disease or condition.

The sertraline oral concentrate of the present invention is a new dosage form of sertraline intended as a multidose product for oral use only. The oral concentrate is an essentially non-aqueous, optionally flavored solution of sertraline, preferably as the hydrochloride salt, which is intended to be diluted prior to administration.

The oral concentrate of the present invention is advantageous because, *inter alia*, it provides convenience in measuring different doses, which are needed for certain indications, and acceptable taste upon administration, as well as good physical/chemical stability characteristics throughout the product's shelf-life and use interval. Also, since the concentrate of the present invention is a solution, it is preferred over a suspension for ease of manufacture and optimal control of dosing homogeneity.

The active ingredient in the concentrate of the present invention is sertraline, which may be present as its free base or as its pharmaceutically acceptable salt.

Such salts include, for example, the hydrochloride salt and the methanesulfonate salt

25

30

20

5

10

15

10

15

20

25

30

(also known as the mesylate salt). In the concentrate of the present invention, the hydrochloride salt is preferred.

The preparation of sertraline and its hydrochloride salt is described in the '518 patent referenced above, particularly in Example 2 of that patent. The mesylate salt is prepared by reacting the sertraline free base with methanesulfonic acid at room temperature in a solvent, such as ethyl acetate, methanol, ethanol and isopropanol. The mesylate salt has favorable properties, such as solubility in polar vehicles and good chemical stability.

Sertraline hydrochloride may be present in the concentrate of the present invention in an amount of about 1 mg/ml up to about 88 mg/ml of the composition. Preferably, it is present in an amount of about 15 to about 30 mg/ml of the composition. Most preferably, about 20 mg sertraline per ml, which is equivalent to about 22.4 mg/ml as the hydrochloride (assuming a theoretical stoichiometric potency of 89.4%), is present. The quantity of sertraline hydrochloride needed to produce a concentration of about 20 mg sertraline per ml is adjusted based on the actual potency of the drug substance lot to be used.

One or more pharmaceutically acceptable excipients are present in the concentrate of the present invention. Examples of such excipients include the following: ethanol, glycerin (also referred to as glycerol or glycerine), propylene glycol and polyethylene glycols. All of these excipients are well known in the pharmaceutical arts and are commercially available.

From among these excipients, binary combinations of ethanol and glycerin provide maximum solubilization of the sertraline hydrochloride drug substance and are preferred. In these combinations, the amount of ethanol that is present is about 8% to about 50% (w/w) in glycerin; preferably, about 8 to about 20% (w/w) ethanol in glycerin is present; most preferably, about 10 to about 14% (w/w) ethanol in glycerin is present. The ethanol that may be used in the concentrate of the present invention is any compendial grade of ethanol, including ethanol (95%) and anhydrous ethanol.

The concentrate of the present invention optionally contains one or more flavoring agents or taste-masking flavors. Examples of candy-type flavoring agents include mint, citrus and fruit flavoring agents. The mint flavoring agents, such as peppermint, spearmint and menthol (also referred to as levomenthol), are preferred. More specifically, from among a variety of mint flavoring agents, menthol is preferred and may be present in an amount of about 0.01 to about 5.0 mg/ml of the

composition; preferably, menthol is present in an amount of about 0.5 mg/ml of the composition.

The concentrate of the present invention also optionally contains one or more pharmaceutically acceptable preservatives, which preserve the quality of the concentrate from a chemical or microbiological standpoint. Preservatives, such as antioxidants, metal chelators, metal complexing agents and antimicrobial agents, may be used in the concentrate of the present invention. These preservatives may be used in the concentrate, both alone and in various combinations (e.g., antioxidant(s) in combination with a metal complexing agent), to improve product stability. When the concentrate of the present invention contains ethanol, it may be appropriately microbiologically self-preserved.

Examples of preservatives, which may be present in the concentrate of the present invention, include the following: butylhydroxytoluene (BHT, also referrred to as butylated hydroxytoluene), butylated hydroxyanisole (BHA), propyl gallate, ascorbic acid, ascorbyl palmitate, sodium metabisulite, sodium bisulfite, sodium thiosulfate, sodium hydroxide, cystiene, ethylenediamine tetraacetic acid (EDTA) or its salts (such as the sodium salt), citric acid, triethanolamine, thioglycerol, methylparaben and propylparaben. Also, various combinations of these preservatives may be present in the concentrate of the present invention, such as the following: disodium EDTA and BHA; disodium EDTA, BHA and BHT; disodium EDTA and propyl gallate; and BHA and BHT.

The amount of preservative that may be present in the concentrate of the present invention ranges from about 0.01 to about 10.0 mg/ml of the composition. In the concentrate of the present invention, butylhydroxytoluene (BHT) is preferred and may be present in an amount of about 0.01 to about 0.5 mg/ml of the composition; preferably, it is present in an amount of about 0.01 to about 0.2 mg/ml of the composition; more preferably, it is present in amount of about 0.01 to about 0.13 mg/ml of the composition; most preferably, it is present in an amount of about 0.05 to about 0.11 mg/ml of the composition.

The sertraline oral concentrate of the present invention is intended to be diluted in a suitable diluent or beverage prior to administration. For example, doses of the oral concentrate (equivalent to from about 25 mg to about 200 mg of sertraline) are mixed with approximately 4 oz. (about 120 ml or 1/2 cup) of a suitable diluent or beverage. The following beverages may be used for the preparation and

30

25

5

10

15

20

10

15

20

administration of the dose: water, orange juice, ginger ale, lemon-lime soda, lemonade, sugared tap water, cranberry juice, grapefruit juice, tomato juice, pineapple juice, prune juice, orange drink and Gatorade® (beverage, not powder). Water, orange juice, ginger ale, lemon-lime soda and lemonade are preferred. The proper dose of sertraline oral concentrate may be most conveniently added to these beverages by means of a dropper calibrated at, for example, 25 and 50 mg (as sertraline).

The manufacture of sertraline oral concentrate utilizes conventional pharmaceutical equipment and processes. For example, the manufacturing process for sertraline hydrochloride oral concentrate involves dissolving the sertraline hydrochloride drug substance in a solution of glycerin, ethanol, and optionally other excipients, such as butylhydroxytoluene (BHT) and menthol, followed by clarifying filtration, if desired, and filling into containers such as bottles, as appropriate.

Preferably, to facilitate BHT incorporation, this component is first dissolved in a portion of the ethanol, which is then added to the main compounding tank containing the glycerin and the remainder of the ethanol. Menthol and sertraline hydrochloride are then sequentially added and mixed to dissolve. The sertraline hydrochloride is intentionally added to the solution last to optimize the protective effect of the antioxidant (BHT). The compounded solution is passed through a filter, and the final product is filled into appropriate containers, such as bottles. The final product may be supplied in a variety of presentations, such as a 60 ml presentation, which is packaged in, for example, a 60 ml, amber glass bottle with a child-resistant closure.

EXAMPLES

EXAMPLE 1 Concentrate solution (20 mg sertraline/ml) with preservative and menthol flavoring:

Ingredients	mg/ml	% w/v (g/100ml)	mg/60ml
Controlino UCI	22.37	2.237	1342.3
Sertraline HCl	22.01	2.201	
Ethanol (95%)	150.68	15.068	9040.8
Menthol	0.50	0.050	30.0
BHT	0.10	0.010	6.0
Glycerin	1010.81	101.081	60648.6

118.446

71067.7

BHT, menthol and drug were dissolved in a mixture of glycerin and ethanol. The resulting mixture may be blanketed with nitrogen due to the ethanol content and associated potential flammability. The resulting mixture may be filtered, if desired.

EXAMPLE 2

Total

5

10

One ml of a nonaqueous solution containing 1-23 mg sertraline HCl/ml:

1184.46

Sertraline Hydrochloride: 1 - 23 mg

Polyethylene glycol 300 (PEG-300): sufficient quantity to produce 1 ml

15 Dissolve the drug substance in the PEG with stirring.

EXAMPLE 3

One ml of a nonaqueous solution containing 1 - 64 mg sertraline HCl/ml:

Sertraline Hydrochloride: 1 - 64 mg

Propylene Glycol: sufficient quantity to produce 1 ml

20 Dissolve the drug substance in the propylene glycol with stirring.

EXAMPLE 4

One ml of a nonaqueous solution containing 1 - 17 mg sertraline HCl/ml:

Sertraline Hydrochloride: 1 - 17 mg

Ethanol: sufficient quantity to produce 1 ml

25 Dissolve the drug substance in the ethanol with stirring.

EXAMPLE 5

den den de de de serve en esta de serve de serve de serve en esta de la companya de la companya de la companya

One ml of a nonaqueous solution containing 1 - 78 mg sertraline HCl/ml:

Sertraline Hydrochloride: 1 - 78 mg

Ethanol: 100 - 500 mg

Glycerin: sufficient quantity to produce 1 ml

5 Dissolve the drug substance in a mixture of ethanol and glycerin with stirring.

EXAMPLE 6

1000 ml concentrate solution (20 mg sertraline/ml) with peppermint flavoring:

Sertraline HCI: 22.4 g

Ethanol (95%): 127 g

10 Natural Peppermint Stick flavoring: 0.01 - 1.7 g

Glycerin: 852 - 872 g or sufficient quantity to produce 1000 ml

Dissolve the natural peppermint stick flavoring and drug in a mixture of ethanol and

glycerin.

EXAMPLE 7

15 1000 ml concentrate solution (20 mg sertraline/ml) with menthol flavoring:

Sertraline HCI: 22.4 g

Ethanol (95%): 127 g

Menthol: 0.01 - 1.7 g

Glycerin: 852 - 872 g or sufficient quantity to produce 1000 ml

20 Dissolve the menthol and drug in a mixture of ethanol and glycerin.

EXAMPLE 8

1000 ml concentrate solution (20 mg sertraline/ml) with preservatives and peppermint

flavoring:

Sertraline HCI: 22.4 g

25 Ethanol, anhydrous: 127 g

Natural Peppermint Stick flavoring: 1.7 g

Methylparaben: 0.6 g

Propylparaben: 0.3 g

Glycerin: 852 - 872 g or sufficient quantity to produce 1000 ml

30 The natural peppermint stick flavoring, parabens and drug were dissolved in a

mixture of ethanol/glycerin.

EXAMPLE 9

1000 ml concentrate solution (20 mg sertraline/ml) with preservatives and no

flavoring:

Sertraline HCI: 22.4 g

Ethanol, anhydrous: 127 g

Methylparaben: 0.6 g Propylparaben: 0.3 g

5 Glycerin: 852 - 872 g or sufficient quantity to produce 1000 ml

The parabens and drug were dissolved in a mixture of ethanol/glycerin.

EXAMPLES 10-30

The following examples describe various 1000 ml concentrate solutions of sertraline

hydrochloride (20 mg sertraline/ml) with preservatives and menthol flavoring:

10 EXAMPLE 10

Sertraline HCI: 22.7 g

Ethanol, 95%: 151.0 g

Menthol: 0.5 g

Citric acid: 0.1 g

15 Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

EXAMPLE 11

Sertraline HCI: 22.7 g

Ethanol, 95%: 151.0 g

Menthol: 0.5 g

20 Propyl gallate: 0.1 g

Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

EXAMPLE 12

Sertraline HCl: 22.7 g

Ethanol, 95%: 151.0 g

25 Menthol: 0.5 g

BHA: 0.1 g

Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

EXAMPLE 13

Sertraline HCI: 22.7 g

30 Ethanol, 95%: 151.0 g

Menthol: 0.5 g

Sodium metabisulfite: 0.5 g

Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

EXAMPLE 14

Sertraline HCI: 22.7 g

Ethanol, 95%: 151.0 g

Menthol: 0.5 g

Ascorbyl palmitate: 0.1 g

5 Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

EXAMPLE 15

Sertraline HCI: 22.7 g Ethanol, 95%: 151.0 g

Menthol: 0.5 g

10 Sodium bisulfite: 0.5 g

Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

EXAMPLE 16

Sertraline HCI: 22.7 g

Ethanol, 95%: 151.0 g

15 Menthol: 0.5 g

Triethanolamine: 0.1 - 0.5 g

Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

EXAMPLE 17

Sertraline HCI: 22.7 g

20 Ethanol, 95%: 151.0 g

Menthol: 0.5 g

BHT: 0.1 g

Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

EXAMPLE 18

25 Sertraline HCI: 22.7 g

Ethanol, 95%: 151.0 g

Menthol: 0.5 g

1N sodium hydroxide: 0.03 g

Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

30 EXAMPLE 19

Sertraline HCI: 22.7 g

Ethanol, 95%: 151.0 g

Menthol: 0.5 g

Disodium EDTA: 0.1 g

Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

EXAMPLE 20

Sertraline HCI: 22.7 g Ethanol, 95%: 151.0 g

5 Menthol: 0.5 g

Ascorbic acid: 0.1 g

Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

EXAMPLE 21

Sertraline HCI: 22.7 g

10 Ethanol, 95%: 151.0 g

Menthol: 0.5 g
Thioglycerol: 1.0 g

Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

EXAMPLE 22

15 Sertraline HCI: 22.7 g

Ethanol, 95%: 151.0 g

Menthol: 0.5 g

Sodium thiosulfate: 0.5 g

Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

20 EXAMPLE 23

Sertraline HCl: 22.7 g Ethanol, 95%: 151.0 g

Menthol: 0.5 g

BHT: 0.1 g

25 BHA: 0.1 g

Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

EXAMPLE 24

Sertraline HCI: 22.7 g Ethanol, 95%: 151.0 g

30 Menthol: 0.5 g

BHT: 0.1 g BHA: 0.1 g

Citric acid: 0.1 g

Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

EXAMPLE 25

Sertraline HCI: 22.7 g

Ethanol, 95%: 151.0 g

Menthol: 0.5 g

5 BHT: 0.1 g

BHA: 0.1 g

Propyl gallate: 0.1 g

Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

EXAMPLE 26

10 Sertraline HCl: 22.7 g

Ethanol, 95%: 151.0 g

Menthol: 0.5 g

Disodium EDTA: 0.1 g

Sodium metabisulfite: 0.5 g

15 Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

EXAMPLE 27

Sertraline HCI: 22.7 g

Ethanol, 95%: 151.0 g

Menthol: 0.5 g

20 Cystiene: 1.0 g

Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

EXAMPLE 28

Sertraline HCI: 22.7 g

Ethanol, 95%: 151.0 g

25 Menthol: 0.5 g

BHT: 0.1 g

BHA: 0.1 g

Triethanolamine: 0.1 - 0.5 g

Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

30 EXAMPLE 29

Sertraline HCI: 22.7 g

Ethanol, 95%: 151.0 g

Menthol: 0.5 g

Disodium EDTA: 0.1 g

BHT: 0.1 g BHA: 0.1 g

Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

EXAMPLE 30

5 Sertraline HCl: 22.7 gEthanol, 95%: 151.0 g

Menthol: 0.5 g

Disodium EDTA: 0.1 g

BHA: 0.1 g

10 Glycerin: 1010.7 g or sufficient quantity to produce 1000 ml

For Examples 10-30 above, the menthol and preservative were dissolved in ethanol.

Glycerin was added and dispersed. The drug was added and dissolved.

10

15

30

CLAIMS

1. A pharmaceutical composition which comprises:

an essentially nonaqueous, liquid concentrate for oral administration comprising an amount of sertraline or a pharmaceutically acceptable salt thereof and one or more essentially nonaqueous pharmaceutically acceptable excipients; wherein at least one of the excipients is liquid.

- 2. The composition of claim which comprises a therapeutically effective amount of sertraline or a pharmaceutically acceptable salt thereof.
- 3. The composition of claim 2 wherein the pharmaceutically acceptable salt of sertraline is the hydrochloride salt or the mesylate salt.
- 4. The composition of claim 1 wherein the excipients are selected from the group consisting of ethanol, glycerin, polyethylene glycol and propylene glycols.
- 5. The composition of claim 4 wherein the excipients are ethanol and glycerin.
- 6. The composition of claim 1 wherein the concentrate comprises sertraline hydrochloride in an amount of about 15 to about 30 mg/ml and wherein the excipients are ethanol and glycerin in an amount of about 8 to about 20% ethanol (by weight) in glycerin.
- 7. The composition of claim 6 wherein the concentrate further comprises one or more flavoring agents and one or more pharmaceutically acceptable preservatives.
- 20 8. The composition of claim 7 wherein the flavoring agents are selected from the group consisting of peppermint, spearmint and menthol; and wherein the preservatives are selected from the group consisting of butylhydroxytoluene, butylated hydroxyanisole, propyl gallate, ascorbic acid, ascorbyl palmitate, sodium metabisulite, sodium bisulfite, sodium thiosulfate, sodium hydroxide, cystiene, ethylenediamine tetraacetic acid or salts thereof, citric acid, triethanolamine, thioglycerol, methylparaben and propylparaben.
 - 9. The composition of claim 8 wherein the flavoring agent is menthol and wherein the preservative is butylhydroxytoluene.
 - 10. The composition of claim 9 wherein each ml of the concentrate comprises about 22.4 mg of sertraline hydrochloride, about 151 mg of ethanol, about 0.50 mg of menthol, about 0.10 mg of butylhydroxytoluene, and about 1011 mg of glycerin.
 - 11. The compound, (1S-cis)-4-(3,4-dichlorophenyl)-1,2,3,4-tetrahydro-N-methyl-1-naphthalenamine methanesulfonate.

20

- 12. A method of using an essentially nonaqueous, liquid concentrate of sertraline or a pharmaceutically acceptable salt thereof to prepare an aqueous solution of sertraline which comprises diluting the concentrate in an aqueous diluent prior to oral administration.
- 5 13. The method of claim 12 wherein the pharmaceutically acceptable salt of sertraline is the hydrochloride salt or the mesylate salt.
 - 14. The method of claim 12 wherein the diluent is selected from the group consisting of water, orange juice, ginger ale, lemon-lime soda and lemonade.
 - 15. A method of treating or preventing diseases or conditions which are caused by disorders of the serotonergic system which comprises:
 - a) diluting an essentially nonaqueous, liquid concentrate of setraline or a pharmaceutically acceptable salt thereof in an aqueous diluent; and
 - b) orally administering the resulting aqueous solution to a patient in need thereof.
- 15 16. The method of claim 15 wherein the diluent is selected from the group consisting of: water, orange juice, ginger ale, lemon-lime soda and lemonade.
 - 17. A method of treating or preventing diseases or conditions selected from the group consisting of depression, anorexia, chemical dependencies, anxiety-related disorders, premature ejaculation, cancer and post myocardial infarction, which comprises:
 - a) diluting an essentially nonaqueous, liquid concentrate of setraline or a pharmaceutically acceptable salt thereof in an aqueous diluent; and
 - b) orally administering the resulting aqueous solution to a patient in need thereof.
- 18. The method of claim 17 wherein the anxiety-related disorders are selected from the group consisting of: panic disorder, obsessive-compulsive disorder, generalized anxiety disorder, phobias, post traumatic stress disorder and avoidant personality disorder.
- 19. The method of claim 17 wherein the diluent is selected from the group30 consisting of: water, orange juice, ginger ale, lemon-lime soda and lemonade.

10

ABSTRACT

The present invention provides an essentially nonaqueous, liquid pharmaceutical concentrate composition for oral administration containing sertraline or a pharmaceutically acceptable salt thereof and one or more pharmaceutically acceptable excipients. The present invention also provides a use of this concentrate composition to prepare an aqueous solution of sertraline. In addition, the present invention provides a method of using this concentrate composition to treat or prevent a variety of diseases or conditions. Finally, the present invention provides the compound, (1S-cis)-4-(3,4-dichlorophenyl)-1,2,3,4-tetrahydro-N-methyl-1-naphthalenamine methanesulfonate.

DECLARAT	ION FOR UTILITY OR	Attorney Docket Number	PC10139A MAG
	DESIGN	First Named Inventor	Nancy J. Harper
PATEN	IT APPLICATION	COMP	LETE IF KNOWN
(3	7 CFR 1.63)	Application Number	To be assigned
Declaration submitted	Declaration Submitted after Initial	Filing Date	Herewith
with Initial Filing	Filing (surcharge 37 CFR 1.16 (e))	Group Art Unit	To be assigned
r ming	required)	Examiner Name	To be assigned

As a below named inventor	, I hereby declar	that:			
- · · · ·		nip are as stated below next to m			
I believe I am the original, firs names are listed below) of the	t and sole invento e subject matter v	r (if only one name is listed below hich is claimed and for which a p) or an original, first ar atent is sought on the	nd joint inventor (if invention entitled:	plural
Sertraline Oral Concen	trate				
		(Title of the Invention)			
the specification of which is attached hereto OR OR	2000	asi	United States Application N	lumber or PCT Intern	national
was filed on (MM/DD/	1111)	as C	- The Oldioo Application i		
Application Number I hereby state that I have reviamended by any amendment	ewed and unders	d was amended on (MM/DD/YYY) and the contents of the above ide ed to above.	Y) entified specification, in	(if applicab	
		which is material to patentability			
certificate, or 365(a) of any F	PCT international ve also identified	U.S.C. 119(a)-(d) or 365(b) of ar application which designated at le below, by checking the box, any f a filing date before that of the app	ast one country other oreign application for p	than the United St patent or inventor's	ates of
Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed		ppy Attached? NO
Additional foreign application	n numbers are lis	ed on a supplemental priority dat	a sheet PTO/SB/02B	attached hereto:	
		(e) of any United States provision			
Application Number		Filing Date (MM/DD/YYYY)			
	` '	tober 13, 1998	Addition	al provisional appli	
60/104,024	0	Rober 13, 1996	numbers supplem	ar provisional appli are listed on a ental priority data /02B sheet attache	sheet

1 .1	
Ι +Н	+

DECLARATION ---- Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the

United States information w	or PCT Intended	ernational applic	ation in the mility as defined	nanner provi I in 37 U.S	ided by the	first paragra	ph of 35	U.S.C. 1	12, I acknowled	ot disclosed in the prior dge the duty to disclose of the prior application
U.S. Par		tion Number Number	or PCT		nt Filing D			Pa	rent Patent Ni (if applicabl	
As a named in	ventor, I hereb			d practitioner er Number					2B attached here all business in th	ne Patent Place Customer Number Bar Code
- · · · · ·			Register	red practione	er(s) name/re	egistation numb	er listed b	elow		Label here
	Name		F	Registratio Number	n		Name	.		Registration Number
Peter C. Rick Allen J. Spie J. Trevor Lui James T. Jo Gregg C. Be Robert F. St Grover F. Fu Karen DeBe Lorraine B. L Garth Butter Carl J. Godd Raymond M. Jennifer A. K Martha A. Ga Israel Nissen Steven W. C Roy F. Waldi	gel mb nes nson neyka iller Jr. nedictis ing field lard Speer ispert ammill baum ollier ron	e to: C	amed on suppler Customer Num or Bar Code La	27,526 25,749 28,567 30,561 30,997 31,304 31,760 32,977 35,251 36,997 39,203 26,810 40,049 31,820 27,582 42,429 42,429 42,208	tered Practit	Paul H. G Mark Dry Lawrence A. Dean G Mervin E. Valerie M Bryan C. Robert T. B. Timoth Alan L. K Jolene W Kristina L Gregory F Jacob M. Seth H. J E. Victor I Todd M. G	er C. Akers Olson Brokke I. Fedowid Zielinski Ronau Broy Creage Oller Applem Applem Levine Bacobs Donahue Crissey	ch an an r	C attached heret	28,718 28,775 28,587 31,185 32,723 33,688 34,462 36,257 39,156 37,371 35,428 37,864 36,647 32,509 32,140 35,492 37,807
Address City	Eastern F Groton	Point Road	State	<u> </u>	СТ		·		Zip Code	06340
Country	USA		Telephone	-		41-4901			Fax	860-441-5221
believed to be punishable b	lare that all be true; and by fine or im	further that th	ade herein of ese statement both, under	ts were ma	nowledge and with the	ire true and t e knowledge	that willf	ul false s	statements an	ormation and belief are d the like so made are dize the validity of the
Name of So			A petition ha	s been filed	d for this u	nsigned inver				
	Given Name	(first and mid	dle [if any])				Famil	y Name	or Surname	
Nancy J. Inventor's		1	}		Harper	•			Data	1.0 0 00
Signature		M		1/2	nj	en	1		Date	10-8-99
Residence:		Groton		State	CT	Country	USA		Citizenship	USA
Post Office		164 Shore	Avenue							
Post Office	Address	01	1	1 0=	T	T 000 10	Т.	. 1		
City Addition	nal invente	Groton	State	CT	Zip	06340	Coul		USA	A attached basets
EZI AUGILIO	mai inventor	s are being no	med on the <u>at</u>	<u>nacheu</u> a s	abbiettieti	ai Auullional	miveritor(s) sneet((5) 17 1 0/515/02	A attached hereto.

PTO/SB/02A(3/97)

DECLARATION

ADDITIONAL INVENTOR(S) Supplemental Sheet

Name of Additional Joint	Inventor, if any	. 🗆	A petiti	on has bee	en filed for this	s unsigned inver	ntor	
Given Name (f	irst and middle [i	f anyl)				Family Name	or Surname	
Gautam R.				Ranade				
Inventor's Signature	Fant	om K	". R	made			Date	1018199
Residence: City	East Lyme		State	CT	Country	US	Citizenship	US
Post Office Address	18 Wayne Driv	е		<u> </u>	<u> </u>		 	
Post Office Address								
City	East Lyme	State	СТ	Zìp	06333	Country	US	
Name of Additional Joint	Inventor, if any	: 🗆	A petiti	on has bee	en filed for this	s unsigned inver	itor	
Given Name (f	irst and middle [i	f any])				Family Name	or Surname	
Willard M.	_	\sim 0		Welch	Λ			
Inventor's Signature	ليا		mi	المر			Date	10-11-99
Residence: City	Mystic		State	СТ	Country	US	Citizenship	US
Post Office Address	116 Pequot Av	enue	·	·		<u> </u>	<u> </u>	<u></u>
Post Office Address								
City	Mystic	State	СТ	Zip	06355	Country	US	
						_1		
Name of Additional Joint	Inventor, if any	: 🗆	A petiti	on has bee	en filed for this	s unsigned inver	itor	
	Inventor, if any		A petiti	on has bee	en filed for thi	s unsigned inver Family Name		
			A petiti	on has bee	en filed for thi			
			A petiti	on has bee	en filed for thi			
Given Name (fi			A petition	on has bee	en filed for this		or Surname	
Given Name (fi Inventor's Signature				on has bee			or Surname Date	
Given Name (fi Inventor's Signature Residence: City				on has bee			or Surname Date	
Given Name (fi Inventor's Signature Residence: City Post Office Address				on has bee			or Surname Date	
Given Name (fi Inventor's Signature Residence: City Post Office Address Post Office Address	irst and middle [i	f any])	State		Country	Family Name	or Surname Date Citizenship	
Given Name (fi Inventor's Signature Residence: City Post Office Address Post Office Address City Name of Additional Joint	irst and middle [i	f any])	State		Country	Family Name	Date Citizenship	
Given Name (fi Inventor's Signature Residence: City Post Office Address Post Office Address City Name of Additional Joint	irst and middle [i	f any])	State		Country	Family Name Country s unsigned inver	Date Citizenship	
Given Name (fi Inventor's Signature Residence: City Post Office Address Post Office Address City Name of Additional Joint	irst and middle [i	f any])	State		Country	Family Name Country s unsigned inver	Date Citizenship	
Given Name (fi Inventor's Signature Residence: City Post Office Address Post Office Address City Name of Additional Joint Given Name (fi	irst and middle [i	f any])	State		Country	Family Name Country s unsigned inver	Date Citizenship ttor or Surname	
Given Name (fi Inventor's Signature Residence: City Post Office Address Post Office Address City Name of Additional Joint Given Name (fi Inventor's Signature	irst and middle [i	f any])	State A petiti		Country en filed for this	Family Name Country s unsigned inver	Date Citizenship or Surname Date	
Given Name (fi Inventor's Signature Residence: City Post Office Address Post Office Address City Name of Additional Joint Given Name (fi Inventor's Signature Residence: City	irst and middle [i	f any])	State A petiti		Country en filed for this	Family Name Country s unsigned inver	Date Citizenship or Surname Date	